

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 11/07/2006

APPLICATION NO.	FILING DATE	:	FIRST NAMED INVENTOR	ATTORNE	Y DOCKET NO.	CONFIRMATION NO	
10/646,101	08/22/2003		Samuel C. Kingston	907A.0	136.U1(US)	8418	
29683	7590 11/07	7/2006		. Е		INER .	
HARRINGTON & SMITH, LLP					DEPPE, BETSY LEE		
4 RESEARCH DRIVE SHELTON, CT 06484-6212				AR	T UNIT	PAPER NUMBER	
					2611		

Please find below and/or attached an Office communication concerning this application or proceeding.

		K/				
	Application No.	Applicant(s)				
	10/646,101	KINGSTON ET AL.				
Office Action Summary	Examiner	Art Unit				
	Betsy L. Deppe	2611				
The MAILING DATE of this communication appeariod for Reply	pears on the cover sheet with the c	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D  - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period  - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION  136(a). In no event, however, may a reply be tin  will apply and will expire SIX (6) MONTHS from  e. cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D. (35 U.S.C. 8 133)				
Status						
Responsive to communication(s) filed on  2a) ☐ This action is FINAL. 2b) ☐ This  3) ☐ Since this application is in condition for alloware closed in accordance with the practice under Expression in the practice of the condition of the practice of the condition of the	— s action is non-final. nce except for formal matters, pro					
Disposition of Claims						
4) ☐ Claim(s) 1-13 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) 9 and 10 is/are allowed. 6) ☐ Claim(s) 12 and 13 is/are rejected. 7) ☐ Claim(s) 1-8 and 11 is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	wn from consideration. or election requirement.					
9) The specification is objected to by the Examine 10) The drawing(s) filed on 22 August 2003 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct	a) accepted or b) objected to drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
11)☐ The oath or declaration is objected to by the Ex	caminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
	•					
Attachment(s)						
Notice of References Cited (PTO-892)  Notice of Draftsperson's Patent Drawing Review (PTO-948)  Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date 8/22/03.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa	te				

Application/Control Number: 10/646,101

Art Unit: 2611

#### **DETAILED ACTION**

### **Drawings**

1. The drawings are objected to because in Figures 2 and 3, it appears that "Compliment Block 68" should be "Complement Block 68" (see page 9, line 18).

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Art Unit: 2611

## Specification

2. The title on the abstract sheet differs from the title on page 1 of the specification.

The abstract sheet should be amended in order to be consistent page 1 of the specification.

- 3. The disclosure is objected to because of the following informalities:
- a. on page 10, lines 19 and 25; and page 11, line 4, it appears that "compliment" should be "complement" (see page 9, line 18); and
- b. on page 8, line 27 and page 12, lines 17, 19, and 27 (two occurrences), it appears that "weighing factor" should be "weighting factor" (see "weighted influence" on page 8, line 27).

# Claim Objections

- 4. The claims are objected to because of the following informalities:
  - a. in claim 1, line 6, "than1" should be "than 1";
  - b. in claim 1, line 8, "the PM signal" should be "the <u>received</u> PM signal" (see line 1);
  - c. in claim 1, line 12, "from the delayed PM signal" should be "<u>based on</u> the delayed PM signal" in order to be consistent with the detailed description;
  - d. in claim 1, line 13, "the" should be inserted before "phase";
  - e. in claim 4, line 2, "PM" should be inserted before both occurrences of "signal" (see claim 1, line 1);

Art Unit: 2611

f. in claims 5-7, line 1, "a phase error" should be "the phase error";

- g. in claim 8, line 1, "the" should be inserted before "phase"; and
- h. in claim 11, line 2, "complimentor" should be "complement."

## Claim Rejections - 35 USC § 112

- The following is a quotation of the second paragraph of 35 U.S.C. 112:
   The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 6. Claims 12 and 13 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 7. Claim 12 recites the limitation "the received signal" twice in line 3. There is insufficient antecedent basis for this limitation in the claim.
- 8. Claim 13 recites the limitation "the received PM signal" in line 4. There is insufficient antecedent basis for this limitation in the claim.
- 9. The Examiner suggests changing "a phase modulated" in claim 9, line 1 to "a received phase modulated" to provide antecedent basis for the limitations in claims 12 and 13.

## Allowable Subject Matter

10. Claims 1-11 are allowable.

Art Unit: 2611

11. Claims 12 and 13 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

12. The following is a statement of reasons for the indication of allowable subject matter: prior art of record does not teach or suggests in combination a method to correct phase as recited in claim 1, lines 4-12 or a circuit to correct phase as recited in claim 9, lines 2-7.

#### Conclusion

- 13. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The following references disclose circuits and method for phase correction in a receiver: Menkhoff et al. (US Pub. No. 2003/0118120 A1); Wang et al. (US Pub. No. 2004/0101068 A1); Sehier et al. (US Patent No. 5,933,467); Cochran (US Patent No. 6,363,124 B1); and Song et al. (US Patent No. 6,925,132 B2).
- 14. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Betsy L. Deppe whose telephone number is (571) 272-3054. The examiner can normally be reached on Monday, Tuesday and Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on (571) 272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Betsy L. Deppe Primary Examiner Art Unit 2611